

INTELLOFAX 32

CENTRAL INTELLIGENCE AGENCY

INFORMATION REPORT

This Document contains information affecting the National Defense of the United States, within the meaning of Title 18, Sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law. The reproduction of this form is prohibited.

SECRET/CONTROL - U.S. OFFICIALS ONLY
SECURITY INFORMATION

50X1-HUM

COUNTRY East Germany
SUBJECT Specifications for a 6-Meter
Motor Dinghy

REPORT

DATE DISTR.

15 May 1953

50X1-HUM

NO. OF PAGES

1

50X1-HUM

DATE OF INFO.

REQUIREMENT NO. RD

PLACE ACQUIRED

REFERENCES

THE SOURCE EVALUATIONS IN THIS REPORT ARE DEFINITIVE.
THE APPRAISAL OF CONTENT IS TENTATIVE.

Distribution: ORR

JUL 3 3 28 PM '53
OSI/IC

SECRET/CONTROL - U.S. OFFICIALS ONLY

50X1-HUM

50X1-HUM

STATE	ARMY	NAVY	AIR	FBI	AEC				
-------	------	------	-----	-----	-----	--	--	--	--

(Note: Washington Distribution Indicated By "X", Field Distribution By "#") Form No. 51-61, January 1953

SECRET
U. S. OFFICIALS ONLY

50X1-HUM

50X1-HUM

East Germany

Specifications for a 6-Meter Motor Dinghy

Description of a 6.12-m (overall) dinghy to be used independently or as a utility boat for large ships. Craft has a beam of 1.96 m, draws 0.46 m, 1.275-t displacement, and a speed of about 13 knots using a 28-hp BEN motor (IPA) turning up 3000 rpm, connected with gearing which drops the rpm to 1500. Lever starting eliminates electrical starter and there is no generator. Riding lights use petroleum fuel and there is a megaphone for signalling. Boat is to be painted light gray above the water line. Carrying nearly 120 liters of fuel the boat has a cruising range of 140 nautical miles. The hull is steel 2-mm thick below the water line and 1.5-mm thick above.

50X1-HUM

U. S. OFFICIALS ONLY
SECRET

50X1-HUM

Page Denied

Next 3 Page(s) In Document Denied